


## NCEP Contributions to the WMO Severe Weather Forecasting Demonstration Project (SWFDP) and to the African Monsoon Multidisciplinary Analysis (AMMA) Initiative

# 1.0. Rainfall Forecast: Valid 06Z of 23November – 06Z of 27November 2011, (Issued at 17:45Z of 22November 2011)

#### **1.1. Twenty Four Hour Cumulative Rainfall Forecasts**

The forecasts are expressed in terms of high probability of precipitation (POP) exceeded, based on the NCEP, UK Met Office and the ECMWF NWP outputs, the NCEP global ensemble forecasts system (GEFS) and expert assessment.



#### Summary

In the next five days, seasonal and localized wind convergences are expected to enhance rainfall in their respective regions. Hence, there is an increased chance for heavy rainfall over Angola, Gabon, Congo Brazzaville, DRC, north western Tanzania, parts of Namibia, Zambia, Zimbabwe, parts of Botswana, parts of Madagascar, Southern Somalia, parts of Morocco, parts of Algeria, Burundi, Rwanda, Kenya, Uganda, Southern Mozambique and parts of southern Africa.

## 1.2. Models Comparison and Discussion-Valid from 00Z of 23 November 2011

The GFS, ECMWF and UKMET models indicate series of lows and their associated troughs across central and the South African countries. The low over DRC is expected to fill up, with its mean sea level pressure value increasing from 1009mb to 1010mb through 24 to 72hours and tends to deepen to 1008mb by 120hours according to the GFS model. Another low is expected to form extending across Angola, Namibia, Zambia and Botswana and tends to fill up, with its MSLP value increasing from 1007mb to 1008mb through 24 to 96hours and then tends to deepen to 1005mb towards the end of the forecast period according to GFS model. A high pressure is expected to form over Arabian Peninsula and tends to weaken from 1024mb to 1016mb through 24 to 96hours and then tends to 1005mb towards the end of 1020mb by 120 hours according to GFS model. while according to both ECMWF and UKMET model it is expected to weaken from 1020mb to 1016mb towards the end of the forecast period according to Tourn to 1008mb through 24 to 96hours and then tends to weaken from 1024mb to 1016mb through 24 to 96hours and then tends to intensify to 1020mb by 120 hours according to GFS model. while according to both ECMWF and UKMET model it is expected to weaken from 1020mb to 1016mb towards the end of the forecast period.

The St. Helena High pressure system over southeast Atlantic Ocean is expected to weaken, with its MSLP value decreasing from 1036mb to 1028mb towards the end of the forecast period according to GFS model. According to ECMWF model it is expected to weaken, with its MSLP value decreasing from 1032mb to 1029mb towards the end of the forecast period. While according to UKMET model it is expected to weaken from 1036mb to 1029mb towards the end of the forecast period. While according to UKMET model it is expected to weaken from 1036mb to 1029mb towards the end of the forecast period. The Mascarene high pressure system over southwest Indian Ocean is expected to weaken, with its central pressure value of decreasing from 1024mb to 1020mb towards the end of the forecast period according to UKMET and ECMWF models .While according to GFS model it is expected to decrease to 1016mb towards the end of the forecast period.

At the 850hpa level, a lower tropospheric wind convergence is expected to dominate the flow over parts of Angola during the forecast period. The seasonal wind convergence across central African countries is expected to remain active during the forecast period extending across DRC. Localized wind convergences are also expected to dominate the flow over portions of Ethiopia, Zambia, South Africa, Tanzania, Congo, Gabon, Algeria, Namibia, Mozambique, Botswana, and Uganda, during the forecast period.

At 500hpa, eastward propagating trough in the westerly is expected to dominate the flow over Mediterranean Sea during the forecast period; with the low geopotential value of 5820gpm extending to the latitudes Morocco, Algeria, and Tunisia through 24 to 96 hours and expected to extend over Libya towards the end of the forecast period. Another trough is expected to propagate over Egypt through by 96 hours. Amid latitude frontal system is expected to propagate eastwards across the Southern African countries during the forecast period.


At 200mb, strong winds associated with Sub-Tropical Westerly Jet are expected to dominate the flow over northern Africa, during the forecast period. The intensity of the jet is expected to exceed 90kts over Libya, Algeria and Tunisia by 24hours. While by 48 it is expected to extend over Egypt. By the end of the forecast period it is expected to propagate over Egypt with wind speed exceeded 110kts. Wind speed values associated with the southern Hemisphere sub-tropical westerly jet are expected to exceed 90kts during the forecast period.

In the next five days, seasonal and localized wind convergences are expected to enhance rainfall in their respective regions. Hence, there is an increased chance for heavy rainfall over Angola, Gabon, Congo Brazzaville, DRC, north western Tanzania, parts of Namibia, Zambia, Zimbabwe, parts of Botswana, parts of Madagascar, Southern Somalia, and parts of Morocco, parts of Algeria, Burundi, Rwanda, Kenya, Uganda, Southern Mozambique and parts of southern Africa.

### 2.0. Previous and Current Day Weather Discussion over Africa

#### (21November - 22November 2011)

- 2.1. Weather assessment for the previous day (21November 2011): During the previous day, moderate to locally heavy rainfall was observed over parts of Morocco, northern Algeria, parts of Liberia, parts of Sierra Leone, southern Kenya, parts of Madagascar, parts of Angola, southern Zambia, southern Zimbabwe, north eastern Botswana and northern South Africa.
- 2.2. Weather assessment for the current day (22November 2011): Intense clouds are observed over parts of southern Nigeria, parts of Angola, parts of Zambia, parts of Tanzania, much of DRC, parts of Congo, eastern Namibia, southern Cameron, southern Somalia and parts of Botswana.



Previous day rainfall condition over Africa (top Left) based on the NCEP CPCE/RFE and current day cloud cover (top right) based on IR Satellite image

Author(s): Amira Ibrahim (Egyptian Meteorological Authority) / CPC-African Desk), <u>Amira.ibrahim@noaa.gov</u>, Sadibou Ba (Agence Nationale de la Meteorologie du Senegal) / CPC-African Desk), <u>sadibou.ba@noaa.gov</u> and Aminata Makalou (Direction Nationale de la Meteorologie du Mali-ASECNA) / CPC-African Desk), <u>aminata.makalou@noaa.gov</u>