





## Global Tropics Hazards and Benefits Outlook - Climate Prediction Center



**Week 1 - Valid: Jun 29, 2022 - Jul 05, 2022**



**Week 2 - Valid: Jul 06, 2022 - Jul 12, 2022**



Produced: 06/28/2022

Forecaster: Barandiaran

Confidence		
High	Moderate	
		Tropical Cyclone Formation
		Above-average rainfall
		Below-average rainfall
		Above-normal temperatures
		Below-normal temperatures

Product is updated once per week, except from 6/1 - 11/30 for the region from 120E to 0, 0 to 40N. The product targets broad scale conditions integrated over a 7-day period for US interests only. Consult your local responsible forecast agency.



The MJO remains weak with the continuation of a wave-1 pattern that has shown very little movement since it began in early June. Both the RMM index and the 200-hPa velocity potential anomaly field depict a nearly stationary pattern with anomalous upper-level divergence (convergence) over Africa and the Indian Ocean (Pacific Ocean). Looking ahead, RMM forecasts from the GEFS, ECMWF, and JMA models are depicting a resumption of MJO activity with the main convective envelope propagating eastward out of the Indian Ocean and into the Maritime Continent over the next two weeks. This would have a dampening effect on tropical cyclone (TC) formation over the East Pacific and Atlantic basins, where TC activity is currently high.

Tropical Depression (TD) Celia continues a west-northwesterly track after forming nearly two weeks ago on June 16 a couple hundred miles south of El Salvador in the eastern Pacific. After initially approaching the coast of El Salvador, it moved west, then west-northwest, traveling parallel to the Mexico coast. Celia attained Tropical Storm (TS) status on June 21 and maintained TS strength until June 28, when it was downgraded back to a TD. Celia is forecast to continue weakening as it continues to track away from land. For the latest updates on Celia please refer to the National Hurricane Center. Elsewhere, another area of disturbed weather south of Mexico (10N-100W) has the moderate potential (40-50% chance) to

develop into a TC in the coming days as it moves slowly westward. In the tropical Atlantic, an area of organized convection near the Lesser Antilles (10N-57W) is strengthening with high confidence (70-90%) of TC formation in the next five days as it tracks westward into the Caribbean Sea. An area of enhanced convection in the northeast Gulf of Mexico is also currently being monitored for possible development with moderate confidence (40% in 5 day period) of TC development. In the western Pacific there are two areas of interest. The first is in the South China Sea (Invest 97W) with a high confidence (70% in 5 day period) of TC formation, and the second is east of the Philippines (Invest 98W), which carries a moderate confidence (40% in 5 days) of TC formation.

The precipitation outlook for the next two weeks is based on anticipated TC tracks, ongoing La Nina conditions, and consensus of GEFS, CFS, and ECMWF ensemble mean solutions. Suppressed precipitation remains favored over the western equatorial Pacific from 160W westward to the eastern Maritime Continent, consistent with La Nina conditions. During the week-1 period enhanced rainfall is forecast for the north Australian coast westward to eastern Java, the northern Indian Ocean, a broad swath from the South China Sea eastward into the western Pacific where TC formation is favored, and in the tropical Atlantic. Above normal precipitation is also favored for both weeks in the western and central Pacific roughly along 10N. For both weeks below-normal precipitation is forecast in the eastern Pacific south of Mexico.

For hazardous weather conditions in your area during the coming two-week period, please refer to your local NWS office, the Medium Range Hazards Forecast produced by the Weather Prediction Center, and the CPC Week-2 Hazards Outlook. Forecasts made over Africa are made in coordination with the International Desk at CPC.