


## Global Tropics Hazards and Benefits Outlook - Climate Prediction Center







Week 2 - Valid: Jun 25 2014 - Jul 01 2014



Tropical Cyclone Formation

Development of a tropical cyclone (tropical depression - TD, or greater strength).

Prior TC Formation Outlook

Tropical cyclone outlook from previous release.

Above-average rainfall

Weekly total rainfall in the upper third of the historical range.

Below-average rainfall

Weekly total rainfall in the lower third of the historical range.

Above-normal temperatures

7-day mean temperatures in the upper third of the historical range.

Below-normal temperatures 7-day mean temperatures in the lower third of the historical range.

Product is updated once per week. The product targets broad scale conditions integrated over a 7-day period for US interests only.

Consult your local responsible forecast agency.















The tropical wave over the eastern Pacific that prompted a moderate risk for development in the initial Week-1 outlook has become increasingly undefined over the past several days. Although several GFS and CFS ensemble members develop a tropical cyclone in the vicinity of a broad area of low pressure along the ITCZ near 10N and 110W, the potential for cyclogenesis is currently too low to justify retaining a moderate risk area on the outlook. Tropical cyclogenesis becomes increasingly likely during Week-2, with dynamical models supporting the development of one or two systems. The Week-2 moderate risk area was expanded in this update to cover the broad region favorable for development.

Areas over the western Pacific and western Caribbean highlighted for rainfall in the upper tercile were adjusted to account for the latest observations and dynamical model guidance. Enhanced precipitation associated with a mid-level trough is ongoing and favored to persist near southeastern Central America and the adjacent eastern Pacific and western Caribbean. Dynamical model solutions favor enhanced convection over the western Pacific between 0 and 10N just east of 140E, which is north of the area highlighted on the initial outlook. During Week-2, suppressed convection is still forecast over much of the Caribbean and parts of northern South America, although there is less confidence for suppressed convection over Central America.

The original discussion for the outlook released 17 June 2014 follow	The original	discussion	for the	outlook released	17	June 2014 follow
--	--------------	------------	---------	------------------	----	------------------

-----

The amplitudes of both the Wheeler-Hendon RMM and CPC velocity potential based MJO indices increased during the past week, with strong projections of the enhanced convective phase over the western Maritime Continent. Widespread enhanced convection over the South China Sea and adjacent western Pacific associated with monsoonal flow along the Meiyu front, coupled with equatorial large scale low-level easterly anomalies near the Date Line, contributed to the development of a coherent Wave-1 type pattern globally. Little to no eastward propagation of these anomaly features is evident, however, so it is unlikely that a robust MJO event is emerging from these other subseasonal features. There is considerable spread among dynamical MJO index model forecasts, with some showing a weakening MJO signal while others shift the signal rapidly to the west-central Pacific, where above normal sea surface temperatures have favored enhanced convection during the previous several months.

Tropical Storm Nanauk developed over the Arabian Sea on 10 June and dissipated three days later without making landfall. Tropical Storm Hagibis developed over the South China Sea on 14 June before making landfall over far eastern Guangdong Province, near Shantou. The remnant low of Hagibis is currently interacting with the Meiyu front south of Japan's Kyushu region and has regained tropical depression status. The system is expected to weaken rapidly as it is ejected east northeastward along the front. During the upcoming week, a disorganized tropical wave over the eastern Pacific has a low to moderate potential for tropical cyclogenesis, although current environmental conditions are not favorable for significant development. Dynamical models including the GFS and CFS indicate conditions more favorable for tropical cyclone development over the eastern Pacific basin later in the Week-2 period.

During Week-1, enhanced convection associated with monsoonal flow is favored to continue over parts of the South China Sea, the Philippines, and the far western Pacific. Enhanced convection is also anticipated over parts of the eastern Maritime Continent based on dynamical guidance, and the elevated sea surface temperatures across the west-central Pacific favor a persistence of enhanced convection along the ITCZ. A TUTT feature extending from the northwestern Bahamas southwestward to Honduras coupled with a pair of tropical waves over Central America and the western Caribbean

favor widespread enhanced convection over Central America, the western Caribbean, Cuba, and the western Bahamas. Across the Indian Ocean basin, suppressed convection is forecast for the eastern Arabian Sea and south-central India, continuing a slow start of the summer monsoon, while enhanced convection is anticipated over the eastern Bay of Bengal and adjacent portions of Southeast Asia. Suppressed convection is favored by dynamical models over the equatorial eastern Indian Ocean and the western Maritime Continent.

Forecast uncertainty increases during Week-2 due to the high spread in model guidance resolving the evolution of subseasonal features. Enhanced convection is favored to continue from Bangladesh southeastward through western Thailand and the adjacent Bay of Bengal. The low frequency state evolving towards El Nino conditions favors a persistence of convection across the equatorial Pacific straddling the Date Line. Dynamical models, including the GFS, CFS, and ECMWF favor suppressed convection across southeastern Mexico, Central America, and much of the Caribbean Sea.

Forecasts for enhanced or suppressed rainfall over Africa's Sahel region are provided in conjunction with the CPC African Desk, and are based on regional scale monsoonal features.