


# Objective Short-Term Drought Indicator Blend Percentiles


Nov 10, 2018

## Inputs (as percentiles):

- 35% Palmer Z-Index
- 25% 3-Month Precipitation
- 20% 1-Month Precipitation
- 13% CPC Soil Moisture Model
- 7% Palmer Drought Index



### Percentile (D0-to-D4 equivalent)




These maps are based on preliminary climate division data. Local conditions and/or final data may differ. See the product description for more details.



**NWS / NCEP**  
Climate Prediction Center  
**National Centers for Environmental Prediction**

# Objective Long-Term Drought Indicator Blend Percentiles

Nov 10, 2018



### Inputs (as percentiles):

- 25% Palmer Hydrologic Index
- 20% 12-Month Precipitation
- 20% 24-Month Precipitation
- 15% 6-Month Precipitation
- 10% 60-Month Precipitation
- 10% CPC Soil Moisture Model
- 30% PHDI
- 30% 60-Month Avg. Z-index
- 10% 60-Month Precipitation
- 10% 24-Month Precipitation
- 10% 12-Month Precipitation
- 10% CPC Soil Moisture Model



**NWS / NCEP**  
Climate Prediction Center  
**National Centers for Environmental Information**

The short-term map (top) approximates impacts that respond to precipitation over the course of several days to a few months, such as agriculture, topsoil moisture, unregulated streamflows, and most aspects of wildfire danger. The long-term map (bottom) approximates impacts that respond to precipitation over the course of several months to a few years, such as reservoir content, groundwater depth, and lake levels. HOWEVER, the relationship between indicators and impacts can vary significantly with location and season. THIS IS PARTICULARLY TRUE OF WATER SUPPLIES, which are additionally affected by source, and management practices.